INDEX TO
EXPERIMENTAL MECHANICS
VOLUME 1, 1961

SUBJECT INDEX

Accuracy of Birefringent-coating Method for Coatings of Arbitrary Thickness—D. Post and F. Zandman, 21–32 (Jan.).
Aircraft, Large, Testing Methods for—D. L. Moseley, 137–144 (May).
Applications of Photoelastic Strain Gages—J. Schwaighofer, 198–202 (Dec.).
Arc, The 2500 Kilowatt Air—N. S. Diaconis and F. C. Foshag, 169–177 (June).

Beam Subjected to Eccentric Longitudinal Impact—S. S. Kuo, 102–108 (Sept.).
Beams, Prismatic, String-net Analog of Flexure of—P. L. Tea, 167–175 (Nov.).
Bending Brittle Materials, Some Aspects of—C. H. Spaderna, 71–72 (Aug.).
Birefringent-coating Method for Coatings of Arbitrary Thickness, Accuracy of—D. Post and F. Zandman, 21–32 (Jan.).
Birefringent Coatings, Effects of the Thickness of—J. Duffy, 74–82 (March).
Birefringent Coatings, Thickness Effects in, with Radial Symmetry—T. C. Lee, C. Mylonas and J. Duffy, 134–141 (Oct.). Discussion—F. Zandman, 141–142 (Oct.).
Bonded Propellant Grains, Photothermoelastic Analysis of—I. M. Daniel and A. J. Durelli, 97–104 (March).
Brittle Coatings, Lueders' Lines Detection by Means of—A. J. Durelli, A. Kobayashi and K. Hofer, 91–101 (Sept.).
Brittle Fracture of High-polymer Solids, Photoelastic-plastic Studies on—K. Ito, 159–168 (May).
Brittle-fracture Propagation in Wide Steel Plates, Strain Field Associated with—S. T. Rolfe and W. S. Hall, 113–119 (Sept.).
Buckling Instability of Monocoque Shells, Experimental Investigation of the—R. H. Homewood, A. C. Brine and A. E. Johnson, Jr., 88–96 (March).
Buckling Load of Rectangular Frames, Model Analysis Method for Determining—H. P. Vaswani, 55–64 (Aug.).

Circular Holes Under Tension, Influence of Breadth in Bars with Reinforced—H. Shimada, 33–39 (July).

Damping at Contacts of a Sphere with Flat Plates, Experiments on—L. E. Goodman and G. E. Bowie, 48–54 (Feb.).
Damping Characteristics of Pipes Vibrating in Flexure and Filled with Various Materials—A. Ezzat, 10–15 (July).
Deep Beam, Stresses in a, with a Concentrated Load—S. Saad and A. W. Hendry, 192–198 (June).
Disk, Stress Concentration in the Multiple-notched Rim of a—P. Reichner, 160–166 (Nov.).
Dynamic Preloads, Studies of Effect of, on Mechanical Properties of Steel—R. C. Smith, 153–159 (Nov.).
Dynamometer, Measurement of Yield Points of High Polymers with Resistance-wire—K. Ito, 65–70 (Aug.).

Effect of Accelerometer Low-frequency Response on Transient Measurements—M. E. Gurtin, 206–208 (June).
Effects of the Thickness of Birefringent Coatings—J. Duffy, 74–82 (March).
Effect Upon Shock Spectra of the Dynamic Reaction of Structures—G. J. O'Hara, 145–151 (May).
Electrical-resistance Strain Elements in Three-dimensional Stress Analysis, Use of—R. I. Brasier and R. C. Dove, 186–191 (June). Discussion—S. E. Whitcomb, 191 (June).
Equiangular Rosette-type Extensometer—S. Sjöström, 129–133 (Oct.).
Experimental Investigation of the Buckling Instability of Monocoque Shells—R. H. Homewood, A. C. Brine and A. E. Johnson, Jr., 88–96 (March).
Experimental Separation of Load and Thermal Stresses—R. A. Thomson and P. L. Vergamini, 143–147 (Oct.).
Experimental Study of Large-diameter Thin-wall Pressure Vessels—A. J. Durelli, J. W. Dally and S. Morse, 33–42 (Feb.).
Experiments in Mechanical and Optical Coincidence in Photoplasticity—M. M. Frocht and R. A. Thomson, 43–47 (Feb.).
Experiments on Damping at Contacts of a Sphere with Flat Plates—L. E. Goodman and G. E. Bowie, 48–54 (Feb.).
Extensometer, Equiangular Rosette-type—S. Sjöström, 129–133 (Oct.).

Fatigue, Bending, Stress Redistribution During—A. A. Blatherwick, 128–135 (April).
Fatigue, Role of Stress Distribution in—R. E. Peterson, 105–115 (April).
Flexure, String-net Analog of, of Prismatic Beams—P. L. Tea, 167–175 (Nov.).
Foil Gages, On the Transverse-strain Sensitivity of—J. H. Meier, 39–40 (July).

Hexagons, Hollow, Stresses in, Under External Pressure—P. D. Flynn, 148–152 (Oct.).
High Stress Gradient, Strain-gage Measurements in Regions of—C. S. Ades and L. H. N. Lee, 199–200 (June).
Hot Spin-and-burst Test Methods for Aircraft Turbine Wheels—A. G. Holmes and A. J. Repko, 185–197 (Dec.).

I-Beams with Elliptic-type Web Cutouts, Photoelastic Anaysis of—W. J. Worley, 176–184 (Nov.).

PUBLISHED BY SOCIETY FOR EXPERIMENTAL STRESS ANALYSIS, 21 BRIDGE SQUARE, WESTPORT, CONN.

Impact, Beam Subjected to Eccentric Longitudinal—S. S. KUO, 102–108 (Sept.).
Improved Standard for the Calibration of Vibration Pickups—R. R. BOUCHE, 116–121 (April).
Influence of Breadth in Bars with Reinforced Circular Holes Under Tension—H. SHIMADA, 33–39 (July).

Linearizing the Output of Resistance Temperature Gages—D. R. MACK, 122–127 (April). Discussion—W. E. JACKSON, 127 (April).
Lueders' Lines Detection by Means of Brittle Coatings —A. S. DURELLI, A. KOBAYASHI and K. HOFER, 91–101 (Sept.).

Measurement of Surface Strains by Means of Bonded Birefringent Strips—J. DUFFY and T. C. LEE, 109–112 (Sept.).
Measurement of Thermal Stresses in the S.S. "Boulder Victory"—J. L. MERRIAM, R. F. STEIDEL, G. W. BROWN and P. T. LYMAN, 55–64 (Feb.).
Measurement of Yield Points of High Polymers with Resistance-wire Dynamometer—K. ITO, 65–70 (Aug.).
Measuring Repeated Strains with a Modified Null-balancing Strain Indicator—R. S. LOUBSER and W. W. SCHROEDER, 136 (April).
Missile Structures Under Simulated Re-entry Environment, Testing Techniques for Full-scale—R. T. NICHOLS, 8–15 (Jan.).
Model Analysis Method for Determining Buckling Load of Rectangular Frames—H. P. VASWANI, 55–64 (Aug.).
Model Investigations of Unstiffened and Stiffened Circular Shells—L. A. HARRIS, H. S. SUER and W. T. SKENE, 1–9 (July).
Murray, W. M. Lecture, 1960—The Role of Stress Distribution in Fatigue—R. E. PETERSON, 105–115 (April).

Nozzle Connections of Pressure Vessels, Stresses at—D. E. HARDENBERGH, 152–158 (May).

On Saint Venant's Principle Under Dynamic Conditions—P. D. FLYNN and M. M. FROCHT, 16–19 (Jan.). Discussion—A. J. DURELLI and J. W. DALLY, 19–20 (Jan.). Correction Note, 20A (Feb.). Discussion—S. F. BORG, 119–120 (Sept.).
On the Transverse-strain Sensitivity of Foil Gages—J. H. MEIER, 39–40 (July).

Penetration of Thin Plates, Photoelastic and Strain-gage Investigation of—W. GOLDSMITH and L. DABAGHIAN, 121–128 (Oct.). Discussion—C. A. TATRO, 128 (Oct.).
Photodot Investigation of Plastic-strain Pattern in Flat Sheet with a Hole—P. S. MERRILL, 73–80 (Aug.).
Photoelastic Analysis of I-Beams with Elliptic-type Web Cutouts—W. J. WORLEY, 176–184 (Nov.).
Photoelastic and Strain-gage Investigation of Penetration of Thin Plates—W. GOLDSMITH and L. DABAGHIAN, 121–128 (Oct.). Discussion—C. A. TATRO, 128 (Oct.).
Photoelastic Strain Gages—G. U. OPPEL, 65–73 (March).
Photoelastic Study of Centrifugal Stresses in a Single Wheel and Hub—R. GUERNSEY, 1–7 (Jan.). Discussion—L. D. MCCONNELL and H. FESSLER, 80 (Aug.).
Photoelastic Study of the Stresses Near a Cleavage Crack—R. GUERNSEY and J. GILMAN, 50–54 (Aug.).
Photoelasto-plastic Studies on Brittle Fracture of High-polymer Solids—K. ITO, 159–168 (May).
Photoplasticity, Experiments in Mechanical and Optical Coincidence in—M. M. FROCHT and R. A. THOMSON, 43–47 (Feb.).
Photothermoelastic Analysis of Bonded Propellant Grains—I. M. DANIEL and A. J. DURELLI, 97–104 (March).
Pickups, Vibration, Improved Standard for the Calibration of—R. R. BOUCHE, 116–121 (April).
Plastic-model Testing, Stress and Deformation Analysis from Reduced-scale—A. E. JOHNSON, JR., and R. H. HOMEWOOD, 81–90 (Sept.).
Plastic-strain Pattern in Flat Sheet with a Hole, Photodot Investigation of—P. S. MERRILL, 73–80 (Aug.).
Pulsed-air Vibration Technique for Testing High-performance Turbomachinery Blading—J. C. TRUMAN, J. R. MARTIN and R. V. KLINT, 201–205 (June).

Rectangular Frames, Model Analysis Method for Determining Buckling Load of—H. P. VASWANI, 55–64 (Aug.).
Resistance Temperature Gages, Linearizing the Output of—D. R. MACK, 122–127 (April). Discussion—W. E. JACKSON, 127 (April).
Role of Stress Distribution in Fatigue—R. E. PETERSON, 105–115 (April).

Saint Venant's Principle Under Dynamic Conditions, On—P. D. FLYNN and M. M. FROCHT, 16–19 (Jan.). Discussion—A. J. DURELLI and J. W. DALLY, 19–20 (Jan.). Correction Note, 20A (Feb.). Discussion—S. F. BORG, 119–120 (Sept.).
Simplified Equipment for Photoelastic Studies of Propagating Stress Waves—H. BECKER, 214–216 (Dec.).
Shell, Cylindrical, Under Hydrostatic Pressure, Yield Strength of Machined Ring Stiffened—M. E. LUNCHICK and J. A. OVERBY, 178–185 (June).
Shells, Circular, Unstiffened and Stiffened, Model Investigations of—L. A. HARRIS, H. S. SUER and W. T. SKENE, 1–9 (July).
Shock Motions and Their Measurement—I. VIGNESS, 13A–16A (Sept. "Field Report").
Shock Spectra, Effect Upon, of the Dynamic Reaction of Structures—G. J. O'HARA, 145–151 (May).
Soil-motion Records for Short Exciter-detector Distances—R. K. BERNHARD, 203–213 (Dec.).
Some Aspects of Bending Brittle Materials—C. H. SPADERNA, 71–72 (Aug.).
Steel, Studies of Effect of Dynamic Preloads on Mechanical Properties of—R. C. SMITH, 153–159 (Nov.).
Strain Field Associated with Brittle-fracture Propagation in Wide Steel Plates—S. T. ROLFE and W. J. HALL, 113–119 (Sept.).
Strain Gages, Applications of Photoelastic—J. SCHWAIGHOFER, 198–202 (Dec.).
Strain Gages, Photoelastic—G. U. OPPEL, 65–73 (March).
Strain-gage Measurements in Regions of High Stress Gradient—C. S. ADES and L. H. N. LEE, 199–200 (June).
Strains, Measuring Repeated, with a Modified Null-balancing Strain Indicator—R. S. LOUBSER and W. W. SCHROEDER, 136 (April).
Strains, Surface, Measurement of, by Means of Bonded Birefringent Strips—J. DUFFY and T. C. LEE, 109–112 (Sept.).
Stress and Deformation Analysis from Reduced-scale Plastic-model Testing—A. E. JOHNSON, JR., and R. H. HOMEWOOD, 81–90 (Sept.).
Stress Concentration in the Multiple-notched Rim of a Disk—P. REICHNER, 160–166 (Nov.).
Stress Redistribution During Bending Fatigue—A. A. BLATHERWICK, 128–135 (April).
Stress Waves, Propagating, Simplified Equipment for Photoelastic Studies of—H. BECKER, 214–216 (Dec.).
Stresses at Nozzle Connections of Pressure Vessels—D. E. HARDENBERGH, 152–158 (May).
Stresses, Centrifugal, in a Single Wheel and Hub, Photoelastic Study of—R. GUERNSEY, 1–7 (Jan.). Discussion—L. D. MCCONNELL and H. FESSLER, 80 (Aug.).
Stresses in a Deep Beam with a Central Concentrated Load—S. SAAD and A. W. HENDRY, 192–198 (June).
Stresses in Hollow Hexagons Under External Pressure—P. D. FLYNN, 148–152 (Oct.).
Stresses, Load and Thermal, Experimental Separation of—R. A. THOMSON and P. L. VERGAMINI, 143–147 (Oct.).
Stresses Near a Cleavage Crack, Photoelastic Study of the—R. GUERNSEY and J. GILMAN, 50–54 (Aug.).
String-net Analog of Flexure of Prismatic Beams—P. L. TEA, 167–175 (Nov.).
Structural Testing at High Temperature—L. YOUNG, 16–22 (July).
Structures, Techniques for Testing Thermally Affected Complex—R. H. GALLAGHER, J. F. QUINN and D. TURRENTINE, 41–49 (Aug.).
Studies of Effect of Dynamic Preloads on Mechanical Properties of Steel—R. C. SMITH, 153–159 (Nov.).

Tape, Twisting Stresses in—C. MYLONAS and D. C. DRUCKER, 23–32 (July).
Techniques for Testing Thermally Affected Complex Structures—R. H. GALLAGHER, J. F. QUINN and D. TURRENTINE, 41–49 (Aug.).
Testing Methods for Large Aircraft—D. L. MOSELEY, 137–144 (May).
Testing Techniques for Full-scale Missile Structures Under Simulated Re-entry Environment—R. T. NICHOLS, 8–15 (Jan.).

Thermal Stresses, Measurement of, in the S. S. "Boulder Victory"—J. L. MERRIAM, R. F. STEIDEL, G. W. BROWN and P. T. LYMAN, 55–64 (Feb.).
Thickness Effect in Birefringent Coatings with Radial Symmetry—T. C. LEE, C. MYLONAS and J. DUFFY, 134–141 (Oct.). Discussion—F. ZANDMAN, 141–142 (Oct.).
Thin-wall Pressure Vessels, Experimental Study of Large-diameter—A. J. DURELLI, J. W. DALLY and S. MORSE, 33–42 (Feb.).
Three-dimensional Stress Analysis, Use of Electrical-resistance Strain Elements in—R. I. BRASIER and R. C. DOVE, 186–191 (June). Discussion—S. E. WHITCOMB, 191 (June).
Transient Measurements, Effect of Accelerometer Low-frequency Response on—M. E. GURTIN, 206–208 (June).
Turbine-shell Flanges, Two-dimensional Photoelastic Study of—P. D. FLYNN, 83–87 (March).
Turbine Wheels, Aircraft, Hot Spin-and-burst Test Methods for—A. G. HOLMS and A. J. REPKO, 185–197 (Dec.).
Turbomachinery Blading, Pulsed-air Vibration Technique for Testing High-performance—J. C. TRUMAN, J. R. MARTIN and R. V. KLINT, 201–205 (June).
2500 Kilowatt A-C Air Arc, The—N. S. DIACONIS and F. C. FOSHAG, 169–177 (June).
Twisting Stresses in Tape—C. MYLONAS and D. C. DRUCKER, 23–32 (July).
Two-dimensional Photoelastic Study of Turbine-shell Flanges—P. D. FLYNN, 83–87 (March).
Use of Electrical-resistance Strain Elements in Three-dimensional Stress Analysis—R. I. BRASIER and R. C. DOVE, 186–191 (June). Discussion—S. E. WHITCOMB, 191 (June).
Yield Strength of Machined Ring-stiffened Cylindrical Shell Under Hydrostatic Pressure—M. E. LUNCHICK and J. A. OVERBY, 178–185 (June).

AUTHOR INDEX

ADES, C. S.—Strain-gage Measurements in Regions of High Stress Gradient, 199–200 (June).

BECKER, H.—Simplified Equipment for Photoelastic Studies of Propagating Stress Waves, 214–216 (Dec.).
BERNHARD, R. K.—Soil-motion Records for Short Exciter-detector Distances, 203–213 (Dec.).
BLATHERWICK, A. A.—Stress Redistribution During Bending Fatigue, 128–135 (April).
BOUCHE, R. R.—Improved Standard for the Calibration of Vibration Pickups, 116–121 (April).
BOWIE, G. E.—Experiments on Damping at Contacts of a Sphere with Flat Plates, 48–54 (Feb.).
BRASIER, R. I.—Use of Electrical-resistance Strain Elements in Three-dimensional Stress Analysis, 186–191 (June). Discussion—S. E. WHITCOMB, 191 (June).
BRINE, A. C.—Experimental Investigation of the Buckling Instability of Monocoque Shells, 88–96 (March).
BROWN, G. W.—Measurement of Thermal Stresses in the S.S. "Boulder Victory," 55–64 (Feb.).

DABAGHIAN, L.—Photoelastic and Strain-gage Investigation of Penetration of Thin Plates, 121–128 (Oct.). Discussion—C. A. TATRO, 128 (Oct.).
DALLY, J. W.—Experimental Study of Large-diameter Thin-wall Pressure Vessels, 33–42 (Feb.).
DANIEL, I. M.—Photothermoelastic Analysis of Bonded Propellant Grains, 97–104 (March).
DIACONIS, N. S.—The 2500 Kilowatt Air Arc, 169–177 (June).
DOVE, R. C.—Use of Electrical-resistance Strain Elements in Three-dimensional Stress Analysis, 186–191 (June). Discussion—S. E. WHITCOMB, 191 (June).
DRUCKER, D. C.—Twisting Stresses in Tape, 23–32 (July).
DUFFY, J.—Effects of the Thickness of Birefringent Coatings, 74–82 (March).
Measurement of Surface Strains by Means of Bonded Birefringent Strips, 109–112 (Sept.).
Thickness Effect in Birefringent Coatings with Radial Symmetry, 134–141 (Oct.). Discussion—F. ZANDMAN, 141–142 (Oct.).
DURELLI, A. J.—Experimental Study of Large-diameter Thin-wall Pressure Vessels, 33–42 (Feb.).
Lueders' Lines Detection by Means of Brittle Coatings, 91–101 (Sept.).
Photothermoelastic Analysis of Bonded Propellant Grains, 97–104 (March).

EZZAT, A.—Damping Characteristics of Pipes Vibrating in Flexure and Filled with Various Materials, 10–15 (July).

FLYNN, P. D.—On Saint Venant's Principle Under Dynamic Conditions, 16–19 (Jan.). Discussion—A. J. DURELLI and J. W. DALLY, 19–20 (Jan.). Correction Note, 20A (Feb.). Discussion—S. F. BORG, 119–120 (Sept.).
Stresses in Hollow Hexagons Under External Pressure, 148–152 (Oct.).
Two-dimensional Photoelastic Study of Turbine-shell Flanges, 83–87 (March).
FOSHAG, F. C.—THE 2500 Kilowatt Air Arc, 169–177 (June).
FROCHT, M. M.—Experiments in Mechanical and Optical Coincidence in Photoplasticity, 43–47 (Feb.).
On Saint Venant's Principle Under Dynamic Conditions, 16–19 (Jan.). Discussion—A. J. DURELLI and J. W. DALLY, 19–20 (Jan.). Correction Note, 20A (Feb.). Discussion—S. F. BORG, 119–120 (Sept.).

GALLAGHER, R. H.—Techniques for Testing Thermally Affected Complex Structures, 41–49 (Aug.).
GILMAN, J.—Photoelastic Study of the Stresses Near a Cleavage Crack, 50–54 (Aug.).
GOLDSMITH, W.—Photoelastic and Strain-gage Investigation of Penetration of Thin Plates, 121–128 (Oct.). Discussion—C. A. TATRO, 128 (Oct.).
GOODMAN, L. E.—Experiments on Damping at Contacts of a Sphere with Flat Plates, 48–54 (Feb.).
GUERNSEY, R.—Photoelastic Study of the Stresses Near a Cleavage Crack, 50–54 (Aug.).
Photoelastic Study of Centrifugal Stresses in a Single Wheel and Hub, 1–7 (Jan.). Discussion—L. D. MCCONNELL and H. FESSLER, 80 (Aug.).
GURTIN, M. E.—Effect of Accelerometer Low-frequency Response on Transient Measurements, 206–208 (June).

HALL, W. J.—Strain Field Associated with Brittle-fracture Propagation in Wide Steel Plates, 113–119 (Sept.).
HARDENBERGH, D. E.—Stresses at Nozzle Connections of Pressure Vessels, 152–158 (May).
HARRIS, L. A.—Model Investigations of Unstiffened and Stiffened Circular Shells, 1–9 (July).
HENDRY, A. W.—Stresses in a Deep Beam with a Central Concentrated Load, 192–198 (June).
HOFER, K.—Lueders' Lines Detection by Means of Brittle Coatings, 91–101 (Sept.).
HOLMS, A. G.—Hot Spin-and-burst Test Methods for Aircraft Turbine Wheels, 185–197 (Dec.).
HOMEWOOD, R. H.—Experimental Investigation of the Buckling Instability of Monocoque Shells, 88–96 (March).
Stress and Deformation Analysis from Reduced-scale Plastic-model Testing, 81–90 (Sept.)

ITO, K.—Measurement of Yield Points of High Polymers with Resistance-wire Dynamometer, 65–70 (Aug.).
Photoelasto-plastic Studies on Brittle Fracture of High-polymer Solids, 159–168 (May).

JOHNSON, A. E., JR.—Experimental Investigation of the Buckling Instability of Monocoque Shells, 88–96 (March).
Stress and Deformation Analysis from Reduced-scale Plastic-model Testing, 81–90 (Sept.).

KLINT, R. V.—Pulsed-air Vibration Technique for Testing High-performance Turbomachinery Blading, 201–205 (June).

KOBAYASHI, A.—Lueders' Lines Detection by Means of Brittle Coatings, 91–101 (Sept.).
KUO, S. S.—Beam Subjected to Eccentric Longitudinal Impact, 102–108 (Sept.).

LEE, L. H. N.—Strain-gage Measurements in Regions of High Stress Gradient, 199–200 (June).
LEE, T. C.—Measurement of Surface Strains by Means of Bonded Birefringent Strips, 109–112 (Sept.).
Thickness Effect in Birefringent Coatings with Radial Symmetry, 134–141 (Oct.). Discussion—F. ZANDMAN, 141–142 (Oct.).
LOUBSER, R. S.—Measuring Repeated Strains with a Modified Null-balancing Strain Indicator, 136 (April).
LUNCHICK, M. E.—Yield Strength of Machined Ring-stiffened Cylindrical Shell Under Hydrostatic Pressure, 178–185 (June).
LYMAN, P. T.—Measurement of Thermal Stresses in the S.S. "Boulder Victory," 55–64 (Feb.).

MACK, D. R.—Linearizing the Output of Resistance Temperature Gages, 122–127 (April). Discussion—W. E. JACKSON, 127 (April).
MARTIN, J. R.—Pulsed-air Vibration Technique for Testing High-performance Turbomachinery Blading, 201–205 (June).
MEIER, J. H.—On the Transverse Strain-sensitivity of Foil Gages, 39–40 (July).
MERRIAM, J. L.—Measurement of Thermal Stresses in the S.S. "Boulder Victory," 55–64 (Feb.).
MERRILL, P. S.—Photodot Investigation of Plastic-strain Pattern in Flat Sheet with a Hole, 73–80 (Aug.).
MORSE, S.—Experimental Study of Large-diameter Thin-wall Pressure Vessels, 33–42 (Feb.).
MOSELEY, D. L.—Testing Methods for Large Aircraft, 137–144 (May).
MYLONAS, C.—Thickness Effect in Birefringent Coatings with Radial Symmetry, 134–141 (Oct.). Discussion—F. ZANDMAN, 141–142 (Oct.).
Twisting Stresses in Tape, 23–32 (July).

NICHOLS, R. T.—Testing Techniques for Full-scale Missile Structures Under Simulated Re-entry Environment, 8–15 (Jan.).

O'HARA, G. J.—Effect Upon Shock Spectra of the Dynamic Reaction of Structures, 145–151 (May).
OPPEL, G. U.—Photoelastic Strain Gages, 65–73 (March).
OVERBY, J. A.—Yield Strength of Machined Ring-stiffened Cylindrical Shell Under Hydrostatic Pressure, 178–185 (June).

PETERSON, R. E.—Role of Stress Distribution in Fatigue (W. M. Murray Lecture, 1960), 105–115 (April).
POST, D.—Accuracy of Birefringent-coating Method for Coatings of Arbitrary Thickness, 21–32 (Jan.).

QUINN, J. F.—Techniques for Testing Thermally Affected Complex Structures, 41–49 (Aug.).

REICHNER, P.—Stress Concentration in the Multiple-notched Rim of a Disk, 160–166 (Nov.).
REPKO, A. J.—Hot Spin-and-burst Test Methods for Aircraft Turbine Wheels, 185–197 (Dec.).
ROLFE, S. T.—Strain Field Associated with Brittle-fracture Propagation in Wide Steel Plates, 113–119 (Sept.).

SAAD, S.—Stresses in a Deep Beam with a Central Concentrated Load, 192–198 (June).
SCHROEDER, W. W.—Measuring Repeated Strains with a Modified Null-balancing Strain Indicator, 136 (April).
SCHWAIGHOFER, J.—Applications of Photoelastic Strain Gages, 198–202 (Dec.).
SHIMADA, H.—Influence of Breadth in Bars with Reinforced Circular Holes Under Tension, 33–39 (July).
SJÖSTRÖM, S.—An Equiangular Rosette-type Extensometer, 129–133 (Oct.).
SKENE, W. T.—Model Investigations of Unstiffened and Stiffened Circular Shells, 1–9 (July).
SMITH, R. C.—Studies of Effect of Dynamic Preloads on Mechanical Properties of Steel, 153–159 (Nov.).
SPADERNA, C. H.—Some Aspects of Bending Brittle Materials, 71–72 (Aug.).
STEIDEL, R. F.—Measurement of Thermal Stresses in the S.S. "Boulder Victory," 55–64 (Feb.).
SUER, H. S.—Model Investigations of Unstiffened and Stiffened Circular Shells, 1–9 (July).

TEA, P. L.—String-net Analog of Flexure of Prismatic Beams, 167–175 (Nov.).
THOMSON, R. A.—Experimental Separation of Load and Thermal Stresses, 143–147 (Oct.).
Experiments in Mechanical and Optical Coincidence in Photoplasticity, 43–47 (Feb.).
TRUMAN, J. C.—Pulsed-air Vibration Technique for Testing High-performance Turbomachinery Blading, 201–205 (June).
TURRENTINE, D.—Techniques for Testing Thermally Affected Complex Structures, 41–49 (Aug.).

VASWANI, H. P.—Model Analysis Method for Determining Buckling Load of Rectangular Frames, 55–64 (Aug.).
VERGAMINI, P. L.—Experimental Separation of Load and Thermal Stresses, 143–147 (Oct.).
VIGNESS, I.—Shock Motions and Their Measurement, 13A–15A (Sept. "Field Report").

WORLEY, W. J.—Photoelastic Analysis of I-beams with Elliptic-type Web Cutouts, 176–184 (Nov.).
YOUNG, L.—Structural Testing at High Temperature, 16–22 (July).

ZANDMAN, F.—Accuracy of Birefringent-coating Method for Coatings of Arbitrary Thickness, 21–32 (Jan.).

SUBSCRIPTION FORM

EXPERIMENTAL MECHANICS
21 Bridge Square, Westport, Conn.

Please enter my subscription to E/M

starting with _____ issue

NAME _____

ADDRESS _____

CITY AND ZONE _____ STATE _____

☐ U. S. and Canada/$10.00 per year ☐ Other countries/$12 per year.

Remittance enclosed.